

Wheel-fitting set

721QR/20/3/1 Quick



Art.No. 96507214
GTIN 4018754283217
Model 721QR/20/3/1 QUICK



Label. Wheel-fitting set No. 721QR/20/3/1 Quick 5 pcs.

Features.

- in sturdy plastic box

Content 5 pieces:

- 1 #ü;standard MANOSKOP® No 721QR/20 Quick, 40-200 N·m, 30 - 150 ft·lb, with permanently installed QuickRelease ratchet, reversible, 1/2" #D;-drive
- 3 #ü;wheel nut sockets No 51IMP K, sizes 17 (green), 19 (blue), 21 mm (red)
- 1 #ü;extension No 509QR/5, 130 mm

Advantages.

Made in Germany – torque wrench 40-200 N·m with 1/2" QR ratchet, interchangeable, 3 wheel nut socket wrench inserts No. 51IMP K, 17 mm (green), 19 mm (blue), 20.8 mm (red), 130 mm extension, 96507214

There is no need to set the torque wrench back to "0" – the tightening value can remain permanently set thanks to the patented, low-wear release system with flexible bending arm

The handy set contains all the tools you need for quick and easy tyre changes

Sturdy plastic case with carrying handle and custom-fit inlay for safe transport and storage

Product highlights.



ROBUST.

Particularly resilient to loads thanks to the torsion resistant body construction and hard-wearing ABS plastic.



Flexible rod principle.

Mechanical torque wrenches from STAHLWILLE have a wear-resistant trigger system with a flexible rod. In contrast to conventional torque wrenches with spiral springs, the STAHLWILLE system eliminates one key work step: once the fastener has been tightened, it is not necessary to reset the wrench to »0«.



Fast.

Rapid setting thanks to the easy-action locking lever in the handle. Ergonomically designed, non-slip adjuster with a thumb recess for fast, safe setting of the slider.



Simple.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.

Technologies and features.



QuickRelease

The QuickRelease technology ensures tools cannot be inadvertently lost – while enabling rapid, safe tool changes.

Technical Attributes.

Number of tools	5 pcs.
Width mm (B)	95 mm
Height mm (h)	75 mm
Length mm (L)	560 mm
Measuring range ft·lb	30-150 ft·lb
Measuring range N·m	40-200 N·m

Logistics data.

Depth mm (IFS)	560
Width mm (IFS)	95
Height mm (IFS)	75
Length (packed, mm)	560
Width (packed, mm)	95
Height (packed, mm)	75
Volume (packed, dm ³)	3.99 dm ³
Art. no.	96507214
Weight (gross, kg)	2,818
Weight PAP (kg)	0,095
Weight PVC (kg)	0,000
GTIN	4018754283217
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82060000
Packing standard	1
Weight	2818 g

Parts list.



81370002
Plastic case, empty



50204120
Torque wrench
MANOSKOP



13011002
QuickRelease extension



23021017
IMPACT wheel nut
socket



23021019
IMPACT wheel nut
socket



23021021
IMPACT wheel nut
socket



83580724
Soft foam inserts

Variants.

Art. no.	Art. no. (ERP)	Description	GTIN
96507214	721QR/20/3/1 QUICK	Wheel-fitting set No. 721QR/20/3/1 Quick 5 pcs.	4018754283217

GTIN-Code.



Images.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal