











0744 Comparator gauge UHRTAST



Model

- Comparator gauge for external and internal measurements for checking workpieces and setting of machines
- Versatile in use due to wide range of probes and inserts
- Measuring range up to 2000 mm by using optional extensions
- Without indicator
- The direction of the measuring force can be switched, the gauge can be used for external and internal measurements
- The adjustment can be conducted with a setting gauge, a combination of gauge blocks, setting ring or a micrometer
- The measuring range of the moveable measuring arm is 12 mm

Delivery

- Wooden case
- Basic instrument without digital indicator, measuring arms and measuring probes (optional)

Adapter 0744 189

Accessories	Order no.	List price EUR
Adapter accessories from 0744 to 0741	0744 188	89.00
Adapter accessoried from 0741 to 0744	0744 189	89.00

M	74	Measuri	ng range	Measuring forces	Order no.	List price
		mm	mm			EUR
		0 - 200	25 - 250	external: ~5 N internal: ~5 N	0744 101	2099.00

0744 Pair of probe mounting block



- * for external measurement ** for internal measurement
- ⋈
 1/2
 Order no.
 List price

 EUR
 0744 170*
 289.00

 0744 171**
 289.00

0744 Extensions

Model

Combinable with the basic instrument and further extensions by sticking together the pipe construcion

м	7	Length	Order no.	List price
		mm		EUR
		100	0744 112	292.00
		200	0744 114	310.00
		400	0744 116	474.00


0744 112


0744 114

11

0744 Measuring inserts









1

11

0744 Measuring inserts








0744 Pair of offset measuring inserts






M	7	Length mm	Diameter mm	Order no.	List price EUR
		41	6	0741 182	216.00
			+		
	5		77773		
	P				









Model


For measuring external central points

11

₩ 🍒	Order no.	List price
		EUR
	0744 172	351.00

0744 Pair of shoulder measuring inserts





Model

• For measuring internal central points

₩ 🍒	Order no.	List price
		EUR
	0744 174	351.00

0744 Piece of measuring inserts with discs

₩	7	Length	Width	Diameter	Dimensions h	Order no.	List price
		mm	mm	mm	mm		EUR
		30	10	11	1	0744 175	111.50
		50	10	11	1	0744 176	111.50





0744 Pairs of measuring arms




Model

- For mounting of adapter pieces and inserts with shaft-Ø 3.5 mm
- With lasered help rule (mm-divide) as position help for the depth stop pieces

⋈⊲	7	Length	Order no.	List price
		mm		EUR
		35	0744 122	326.00
		70	0744 124	348.00


0744 Pair of depth stop attachment for measuring arms





Model

- Stops with anti-tilt 3-point support
- Hardened stop pins, exchangeable and movable



- 1 pair of stop pieces with 3 stop pins Ø 5 x 20 mm
- additionally 1 stop pin each
 Ø 5 x 16 mm and Ø 5 x 10 mm
 for stop piece 1 point

11

11





0744 Pair of adapters 5 mm for measuring inserts M2.5





Model

 All measuring inserts for dial gauges with M2.5 can be used (measuring inserts please refer to pages 108-111)

₽	1 🏹	Order no.	List price EUR
		0744 132	34.25

11

11

0744 Measuring insert plan (piece)





Model

- With cylindrical mounting shank and snap ring for rotatable in the bore of the measuring arms 0744 122 / 124
- Made of hardened steel
- Mounting shank 3.5 mm

М	7	Order no.	List price
			EUR
		0744 190	70.00

0744 Measuring insert spherical (piece)



- With cylindrical mounting shank and snap ring for rotatable

- in the bore of the measuring arms 0744 122 / 124
- Made of hardened steel
- Mounting shank 3.5 mm

₩	7	Order no.	List price EUR
		0744 192	70.00



C = QuickLock = QuickStart 🚖 = Waterproof acc. IP ---- = Data output

